

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

Search Results -

Terms	Documents
L3 same solid same phase	1

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L1 same

Refine Search

Recall Text

Clear

Search History

DATE: Monday, November 18, 2002 [Printable Copy](#) [Create Case](#)Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

<u>L5</u>	L3 same solid same phase	1	<u>L5</u>
<u>L4</u>	L3 same (two near0 free)	0	<u>L4</u>
<u>L3</u>	L1 same circular\$	129	<u>L3</u>
<u>L2</u>	L1 same (two near0 free near0 end)	1	<u>L2</u>
<u>L1</u>	probe\$ same hybridiz\$ same detect\$	13031	<u>L1</u>

END OF SEARCH HISTORY

WEST

End of Result Set



Generate Collection

Print

L5: Entry 1 of 1

File: USPT

Aug 14, 2001

DOCUMENT-IDENTIFIER: US 6274320 B1

TITLE: Method of sequencing a nucleic acid

Detailed Description Text (53):

Through the use of the RCR reaction, a strand may be generated which represents many tandem copies of the complement to the circularized molecule. For example, RCR has recently been utilized to obtain an isothermal cascade amplification reaction of circularized padlock probes in vitro in order to detect single-copy genes in human genomic DNA samples (see Lizardi, et al., 1998. Nat. Genet. 19: 225-232). In addition, RCR has also been utilized to detect single DNA molecules in a solid phase-based assay, although difficulties arose when this technique was applied to in situ hybridization (see Lizardi, et al., 1998. Nat. Genet. 19: 225-232).

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal655axc

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1		Web Page URLs for STN Seminar Schedule - N. America
NEWS 2	Apr 08	"Ask CAS" for self-help around the clock
NEWS 3	Apr 09	BEILSTEIN: Reload and Implementation of a New Subject Area
NEWS 4	Apr 09	ZDB will be removed from STN
NEWS 5	Apr 19	US Patent Applications available in IFICDB, IFIPAT, and IFIUDB
NEWS 6	Apr 22	Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS
NEWS 7	Apr 22	BIOSIS Gene Names now available in TOXCENTER
NEWS 8	Apr 22	Federal Research in Progress (FEDRIP) now available
NEWS 9	Jun 03	New e-mail delivery for search results now available
NEWS 10	Jun 10	MEDLINE Reload
NEWS 11	Jun 10	PCTFULL has been reloaded
NEWS 12	Jul 02	FOREGE no longer contains STANDARDS file segment
NEWS 13	Jul 22	USAN to be reloaded July 28, 2002; saved answer sets no longer valid
NEWS 14	Jul 29	Enhanced polymer searching in REGISTRY
NEWS 15	Jul 30	NETFIRST to be removed from STN
NEWS 16	Aug 08	CANCERLIT reload
NEWS 17	Aug 08	PHARMAMarketLetter(PHARMAML) - new on STN
NEWS 18	Aug 08	NTIS has been reloaded and enhanced
NEWS 19	Aug 19	Aquatic Toxicity Information Retrieval (AQUIRE) now available on STN
NEWS 20	Aug 19	IFIPAT, IFICDB, and IFIUDB have been reloaded
NEWS 21	Aug 19	The MEDLINE file segment of TOXCENTER has been reloaded
NEWS 22	Aug 26	Sequence searching in REGISTRY enhanced
NEWS 23	Sep 03	JAPIO has been reloaded and enhanced
NEWS 24	Sep 16	Experimental properties added to the REGISTRY file
NEWS 25	Sep 16	Indexing added to some pre-1967 records in CA/CAPLUS
NEWS 26	Sep 16	CA Section Thesaurus available in CAPLUS and CA
NEWS 27	Oct 01	CASREACT Enriched with Reactions from 1907 to 1985
NEWS 28	Oct 21	EVENTLINE has been reloaded
NEWS 29	Oct 24	BEILSTEIN adds new search fields
NEWS 30	Oct 24	Nutraceuticals International (NUTRACEUT) now available on STN
NEWS 31	Oct 25	MEDLINE SDI run of October 8, 2002
NEWS 32	Nov 18	DKILIT has been renamed APOLLIT
NEWS EXPRESS	October 14	CURRENT WINDOWS VERSION IS V6.01, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002
NEWS HOURS		STN Operating Hours Plus Help Desk Availability
NEWS INTER		General Internet Information
NEWS LOGIN		Welcome Banner and News Items
NEWS PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 16:31:13 ON 18 NOV 2002

=> ile medline biosis caplus embase
ILE IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> file medline biosis caplus embase		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 16:31:36 ON 18 NOV 2002

FILE 'BIOSIS' ENTERED AT 16:31:36 ON 18 NOV 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

FILE 'CAPLUS' ENTERED AT 16:31:36 ON 18 NOV 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'EMBASE' ENTERED AT 16:31:36 ON 18 NOV 2002
COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved.

=> s padlock near0 probe?
L1 0 PADLOCK NEAR0 PROBE?

=> s padlock (w) probe?
L2 86 PADLOCK (W) PROBE?

=> s l2 (p) solid (p) phase
L3 1 L2 (P) SOLID (P) PHASE

=> s l2 (p) cleav? (p) detect?
L4 1 L2 (P) CLEAV? (P) DETECT?

=> d his

(FILE 'HOME' ENTERED AT 16:31:13 ON 18 NOV 2002)

FILE 'MEDLINE, BIOSIS, CAPLUS, EMBASE' ENTERED AT 16:31:36 ON 18 NOV 2002
L1 0 S PADLOCK NEAR0 PROBE?
L2 86 S PADLOCK (W) PROBE?
L3 1 S L2 (P) SOLID (P) PHASE
L4 1 S L2 (P) CLEAV? (P) DETECT?